

MUEC FOUNDATION REQUIREMENTS FOR PRE-MANUFACTURED MOBILE AND MODULAR HOMES

OWNER(job name) _____
 SITE ADDRESS: _____
 TOWNSHIP _____ SECTION _____
 GENERAL BUILDING DESCRIPTION :PERMIT# _____

OWNER'S PHONE/FAX _____
 BUILDER NAME _____
 BUILDER PHONE/FAX _____

MUEC PRESCRIPTIVE COMPLIANCE APPROACH WORK SHEET (Zone 2)

RULE	MINIMUM BUILDING ENVELOPE INSULATION CRITERIA	YES	NO
	FOUNDATION INSULATION		
1077	FLOORS OVER UNCONDITIONED SPACES R-30		
1078	SLAB-ON-GRADE FLOORS* UNHEATED R-5 HEATED R-10		
1079	CRAWL SPACE WALLS* (SUPPORTING UN-INSULATED FLOORS) R-5		
1080	FINISHED LOWER LEVEL WALLS R-5		
1081	EXPOSED BASEMENT WALLS* IN EXCESS OF 7% GROSS WALL AREA R-5		
	BUILDER SIGNATURE: _____ LICENSE #: _____ DATE: _____		
	<p>* CLARIFICATIONS:</p> <p>GROSS WALL AREA: INSULATED WALL AREA, INCLUDING WINDOWS, DOORS, AND OPAQUE WALLS.</p> <p>BASEMENT INSULATION: INTERIOR APPLICATION EXTENDING FROM TOP OF WALL TO FLOOR.</p> <p>SLAB INSULATION: SHALL EXTEND DOWN WARD FROM THE TOP OF THE SLAB FOR A MINIMUM OF 24 INCHES OR DOWNWARD TO AT LEAST THE BOTTOM OF THE SLAB AND THEN HORIZONTALLY FOR A TOTAL OF 24 INCHES.</p> <p>CRAWL SPACE WALLS INSULATION: SHALL EXTEND VERTICALLY FROM THE TOP OF THE FOUNDATION WALL AND ALSO EXTEND AT LEAST 24 INXCHES BELOW GRADE, OR A COMBINED VERTICAL AND HORIZONTAL DISTANCE OF 24 INCHES.</p> <p>EXPOSED BASEMENT WALLS: UNINSULATED EXPOSED WALLS MUST BE LESS THAN 7% OF "GROSS WALL AREA".</p>		